





**SPK**

**DOKUMENT  
ONE**



## SPK - DOKUMENT 1.

Thank you for your interest. This is the first in a series of Dokuments, with the intention of providing a visual interpretation of SPK to accompany standard aural output. This particular Dokument is expressly intended for use with the first LP by SPK, Information Overload Unit.

Details - Personnel;

Operator - synthesizers, rhythms, treatments, vocals.

Wilkins - guitars, bass, tapes, vocals.

Mr. Clean - technician.

Tone Generator - synthesizers, treatments.

Details - Content;

Face Ultra - Exanation Machine R.Cie 1916. Suture Obsession.

Macht Schrecken. Berufsverbot.

Face Hyper - Ground Zero:Infinity Dose. Stammheim Torturkammer.

Retard. Epilept:Convulse. Kaltbruchig Acideath.

The project ideal is to express the content of various psychopathological conditions, especially schizophrenia, manic - depressive psychosis, mental retardation and paranoia.

Information Overload supersedes normal, rational thought structures, forcing deviation into less restrictive mental procedures of so - called 'mental illness'. SPK is trying to be a voice for those individuals condemned to the slow decay of mental hospitals and chemical/electro/surgical therapy, without fetishising them into blatant entertainment product. 'SONICS FOR MANICS' aims to be a vehicle for sharing mental experiences through sound.

Owing to the instability of personalities associated with SPK output is likely to be irregular, as it has been up to now.

We would like to hear from anyone interested in what we are doing, especially those with interest in, or history of, psychotic disorder. We will reply personally to all correspondence. Our name and material will vary with each project, but once established, you will have no difficulty in maintaining contact.

Please write to either

Mike wilkins,

15, King Edward's Road,


Hackney,

London E9 7SF

OR leave a message with Industrial Records, to whom, as ever, our thanks. Thanks also to PK, JK, BC, LEC, PTP, DB and L.

Love,

SPK.




"The mean I.Q. of 'fighters' was 91; for 'non-fighters' 79. But the mean I.Q. of the whole group of combat soldiers was 85, i.e. 15 points below the average. In other words, the less intelligent men are those sent into combat & the more intelligent among them are the better fighters, though they are still well below average"

"Almost 50% of psychoneurotic soldiers were in the army for over 18 mths, and 22% became NCO's of some sort. In fact, psychoneurotics were 50% more likely to be promoted to NCO than normal privates."

"'Fighters' were less ectomorphic and more mesomorphic than 'non-fighters', on average an inch taller and 8lbs heavier. The first sexual experience occurred a year later for fighters, (15 yrs 8 mths against 14 yrs 3 mths). The fighter has faster reflexes and performs much better in pencil maze and mirror drawing tests. Very few first-born children make good fighters, being by and large more anxious."

of the penis to cover the skin defect created by the correction of the chordae. As the prepuce is brought to the ventral surface of the penis, the angle of the "Y" shaped incision will become the most distal portion





debris enough to be discharged from the mental hospital. The graft is then put in place, beginning at the groove in the glans, extending down the mid-line of the ventral surface of the penis between the corpora, and sutured with small interrupted sutures of six zero chromic on an atraumatic needle. The flap is made of any new skin, and is allowed to lie flat over the defect. A sheet of surgical gauze is placed over any remaining nylon sutures. The free bone flap is fixed in place with three nylon sutures. The lateral muscle and fascia are closed in separate layers with interrupted nylon sutures, and the skin is closed with thin ventral skin sutures. The galea is closed with interrupted nylon sutures, and the skin is closed with thin ventral skin sutures. The flap is fixed in place with three nylon sutures. The lateral muscle and fascia are closed in separate layers with interrupted nylon sutures, and the skin is closed with thin ventral skin sutures. The galea is closed with interrupted nylon sutures, and the skin is closed with thin ventral skin sutures.



FIG. 18.20 Graft in place.



FIG. 18-21. Obturator to be worn for 6 months. Rubber tubing cuffs anchored to each end prevent loss of obturator.



Future Observations

"For all penile hypospadias this closure is sufficient. In scrotal and perineal cases, a local scrotal flap may also be necessary to cover the proximal portion of the urethra."

SURGICAL  
PENIS  
KLINIK



AGENT: Thioridazine.

RECOMMENDED FOR: Psychoses, schizophrenia, alcoholic wit

SIDE EFFECTS: Cardiovascular problems, hallucinations, at dizziness, tremor, drowsiness, dry mouth, blurred vision, rashes, sweating, urinary re galactorrhea, ejaculatory di

PSYCHOTROPIC DRUGS

■ PARANOID SCHIZOPHRENIA

My neighbors accuse me of being a pervert. A man in a green convertible drives past my house at night and flashes his lights to signal that I am a problem. The newspapers are going to release headlines saying that I am a "queer". They are whispering that I am a homosexual. They insinuate that I am not a man. The neighbors say I have a "big head" and "big mouth" and "big eyes".



rapid depressive illness.

AGENT  
VE,  
EFFE  
diff  
naus  
defe  
jerl  
conf  
conv

(b) 7. Schizophrenia, (a) The ... to a cranial development defect (b) ... of the head of the same patient ... (c) ... (d) ... (e) ... (f) ... (g) ... (h) ... (i) ... (j) ... (k) ... (l) ... (m) ... (n) ... (o) ... (p) ... (q) ... (r) ... (s) ... (t) ... (u) ... (v) ... (w) ... (x) ... (y) ... (z) ...

hardation and ascribed to unknown cause. The most common of the ... AGENT: Amitriptyline ... defects and Mongolism

congenital cerebral defects of

RECOMMENDED FOR: Mental der

SIDE EFFECTS: Cardiovascular problems, hallucinations, dizziness, drowsiness, dry blurred vision, skin rashes, urinary retention, circula



thdrawal,  
r  
taxia,  
as,  
skin  
etention,  
isturbances,



CATATONIA

NTS: Sarin, Soman, GE, CNPF,  
VI;

ECP: Tight chest, breathing  
difficulties, drooling, sweating,  
sea, vomiting, cramps, involuntary  
defecation/urination, twitching,  
faling, staggering, headache,  
confusion, drowsiness, coma,  
convulsions, death by asphyxiation.

View of a  
of a cross  
Courtesy

own pre-  
sens con-  
to, anjal

unknown  
pression.

lar  
ataxia,  
mouth,  
as, sweating,  
atory collapse.

View of a  
of a cross  
Courtesy



Mental  
Retardation

was making friends from school. He stopped and asked  
her if she wanted to sit. She did, and he drove her to  
a secluded lot where he raped her, and then, in a panic  
the two would identify him, crushing her skull with a

"It was one of  
these cold nights,  
I didn't want to  
be out in the cold  
too long..."



NERVE GASES



SYSTEM  
PLANNING  
KORPORATION

N.E. System Planning Corporation is the US Chemical Warfare Dept.

**woman  
animals**

SELECTIVE  
PORNOGRAPHY  
KONTROL

**Date a Dildo**

**stick  
it in!**  
ANAL  
PLEASURE  
VIDEO  
COLLECTOR'S EDITION



LOOKING  
for the  
HARD STUFF

MEAT

PROCESSING

Butchery

The very best  
of Scan Porn

**PRESS REDUCTION TRAINING.** Inants of Loyalty and this time it will not hurt, t the Neuropsychiatric Lab. in San Diego he men are shown a series of gruesome to show up the contradiction. hurt, films which become steadily more horrific. people were still making a lot he trainee is forced to watch by having, s' were being captured. Post was is head clamped so he cannot turn away, 'Dear John' letters, bills or bad nd by the use of a device which keeps, sessions, the soldiers stood up and is eyelids open. One of the first films criticized their own conduct and hows an African youth being circumcised, this straying. It was, say, Mayer, ith a blunt knife and without anaesthetic. d it succeeded in the first step in the advancement of Israeli her hen the film is over, the trainee is asked uestions like "What was the motif on the n the first step in the advancement of Israeli her nife handle?" or, "How many people were d it succeeded in the first step in the advancement of Israeli her olding the youth down?". with an instructor indoctrination (8). In the first these t appears this technique was particularly how that pain is more effective mployed towards the end of 1973, at the n convincing prisoners of their ime of the Yom Kippur war. So, far from their captors, when it is the sing research to prevent atrocitiesaded and cut off. Eventually these ccurring in the future, it appears that useptible to the concept of a trocities are being studied to learnich them'.



ore about killing, and to train people ntrary to popular belief, isolation o be better at it. one of eight common Communist coercive methods for clicking individual compliance. The eight are shown in Table 25.

Table 25 Communist coercive methods for individual compliance

A technique used to exploit the need to comply	Effects
is to spend hours asking and shouting questions to which the prisoner cannot possibly know the answer - details of atomic weaponry etc. Many ex-prisoners spoke of the "...tremendous feeling of relief you get when he finally asks you something you can answer."	develops habit of compliance
...willing to take	Suggests futility of resistance
cooperation for granted	
Demonstrating complete control over victim's fate	

The Russians were reported to have used possible succinyl chlorine on Israeli prisoners in Syria, 1973. The drug, administered by avours injection, causes convulsive muscular spasms, leaving the victim totally paralysed, in agonising pain, unable to breathe properly, but conscious. The victim feels himself dying for lack of oxygen, although the effect is' transitory, but there is then the threat of a repeat experience. Unexpected knowledge

Pus injections  
Provides positive motivation for compliance  
Reinforces learning  
Impairs adjustment to deprivation

If you don't do it they will  
If they don't do it you will

4. Threats	Of death or torture Of non-repatriation Of endless isolation and	Cultivates anxiety, dread and despair	Light and fog And silent floor Woman hanging On the door
Operation Black Eye is a good example of psychological threat manipulation. Selected South Vietnam operators were organized into terror squads, trained to infiltrate villages. As a result, Viet Cong leaders started dying in their beds.			
5. Denial	On each of the bodies was a piece of paper printed with a grotesque human eye, which came to represent a threat. Next, 50,000 <sup>more</sup> of the eyes were printed by the USA and <sup>self-</sup> started appearing pinned to people's homes. Now the eye took on a more potent form, 'animal' because it was an uncertain threat.		
	Denial of privacy		

Control of perceptions	Darkness or bright light No books or recreations Barren environments	Fixes attention on predicament Fosters introspection Encourages all activities <sup>more</sup> consistent with compliance Eliminates distractions
T O R T U R K A M M E R		
	Restricted movement Absence of normal stimuli	

7. Isolation	Complete physical isolation Solitary confinement Social deprivation	Develops intense concern with self Victim of social deprivation
Following the appearance of the Reader- Meinhof group, the Germans developed long-term 'solitary confinement units known as Tote Trakt (Silent Floor) in which all walls and furniture were painted harsh white, the lights were permanently on, and the windows were dark, and extremely difficult to see through. This system led to Holger Meinz starving himself to death and to Meinhof's suicide by hanging in May 1976.		
	Prolonged interrogation or forced writing Over-exertion Sustained tensions	



STRATEGIC

PSYWAR

CAMPAIGN

If you don't kill you they will  
If they don't kill you you will

16 hours against the wall

# SPK

